

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH
ROAD
LENWADE
NORWICH, NR9 5SR

01603 879581
01603 308161

Quotation


To:- Armour Home
Improvements Ltd
38 Crown Street
Ayr
KA8 8AG
Tel: 01292435866

Quotation Number: **NQ081733**
Customer Ref : **Verraed**

Quotation Date: **30/07/2026**

Cust Code AHI01

REHAU 70S (EDGE)



Frame Specification:

Win Handle: Case Locking Handle Gold (R)
Win Hinge: SH Egress/Easy Cln / TH Std
Win Lock: Shoot Bolt Mech.
Outer: Edge Medium 5 CH Outer Black/White (LF)
Cill: 150mm STD Cill @ 1600mm
Beading: 28mm Ovlo bead White
Drainage: Concealed
Reinforcing: @15Standard Reinforcing

Additional Frame Details:

Glazing:

Dimensions:

Viewed Outside

28mm 4/20/4 Clear Softcoat 1.2 CP
V Warm Edge Black 18mm Geo Bla
ck/White -Argon Gas - Factory Gla
zed No SHAPE SURCHARGE 20kg
Energy Surcharge
28mm 4/20/4 Clear Softcoat 1.2 CP
V Warm Edge Black 18mm Geo Bla
ck/White -Argon Gas - Factory Gla
zed No SHAPE SURCHARGE 20kg
Energy Surcharge
28mm 4/20/4 Clear Softcoat 1.2 CP
V Warm Edge Black 18mm Geo Bla
ck/White -Argon Gas - Factory Gla
zed No SHAPE SURCHARGE 20kg
Energy Surcharge

1406 x 732
Overall Size: 1500 x 1900
Actual Frame Size: 1500 x 1870

Frame No: 1	Qty: 1	EDGE Medium Int Casement FOILED/WHT	Black Sash Finish	Location: UP LEFT /
-------------	--------	--	----------------------	------------------------

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH ROAD
LENWADE
NORWICH, NR9 5SR

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH
ROAD
LENWADE
NORWICH, NR9 5SR

01603 879581
01603 308161

Quotation

To:- Armour Home
Improvements Ltd
38 Crown Street
Ayr
KA8 8AG
Tel: 01292435866


Quotation Number: **NQ081733**

Customer Ref : **Verraed**

Quotation Date: **30/07/2026**

Cust Code AH101

REHAU 70S (EDGE)



Frame Specification:

Win Handle: Case Locking Handle Gold (R)
 Win Hinge: SH Egress/Easy Cln / TH Std
 Win Lock: Shoot Bolt Mech.
 Outer: Edge Medium 5 CH Outer Black/White (LF)
 Cill: 150mm STD Cill @ 770mm
 Beading: 28mm Ovlo bead White
 Drainage: Concealed
 Reinforcing: @15Standard Reinforcing

Additional Frame Details:

Glazing:

28mm 4/20/4 Clear Softcoat 1.2 CP 576 x 732
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge
 28mm 4/20/4 Clear Softcoat 1.2 CP 478 x 906
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge


Dimensions:

Overall Size: 670 x 1900
 Actual Frame Size: 670 x 1870

Viewed Outside

Frame No: 2	Qty: 1	EDGE Medium Int Casement	Black	Location: UP RIGHT
		FOILED/WHT	Sash Finish	/

REHAU 70S (EDGE)



Frame Specification:

Win Handle: Case Locking Handle Gold (R)
 Win Hinge: SH Egress/Easy Cln / TH Std
 Win Lock: Shoot Bolt Mech.
 Outer: Edge Medium 5 CH Outer Black/White (LF)
 Cill: 150mm STD Cill @ 770mm
 Beading: 28mm Ovlo bead White
 Drainage: Concealed
 Reinforcing: @15Standard Reinforcing

Additional Frame Details:

Glazing:

28mm 4/20/4 Clear Softcoat 1.2 CP 576 x 732
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge
 28mm 4/20/4 Clear Softcoat 1.2 CP 478 x 906
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge

Dimensions:

Overall Size: 670 x 1900
 Actual Frame Size: 670 x 1870

Viewed Outside

Frame No: 3	Qty: 1	EDGE Medium Int Casement	Black	Location: UP RIGHT
		FOILED/WHT	Sash Finish	/

POLYFRAME PRODUCTS LIMITED
 UNIT 4 ATLAS WORKS, NORWICH ROAD
 LENWADE
 NORWICH, NR9 5SR

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH
ROAD
LENWADE
NORWICH, NR9 5SR

01603 879581
01603 308161

Quotation

To:- Armour Home
Improvements Ltd
38 Crown Street
Ayr
KA8 8AG
Tel: 01292435866


Quotation Number: **NQ081733**

Customer Ref : **Verraed**

Quotation Date: **30/07/2026**

Cust Code AH101

REHAU 70S (EDGE)



Frame Specification:

Win Handle: Case Locking Handle Gold (R)
 Win Hinge: SH Egress/Easy Cln / TH Std
 Win Lock: Shoot Bolt Mech.
 Outer: Edge Medium 5 CH Outer Black/White (LF)
 Cill: 150mm STD Cill @ 770mm
 Beading: 28mm Ovlo bead White
 Drainage: Concealed
 Reinforcing: @15Standard Reinforcing

Additional Frame Details:

Glazing:

28mm 4/20/4 Clear Softcoat 1.2 CP 576 x 732
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge
 28mm 4/20/4 Clear Softcoat 1.2 CP 478 x 906
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge


Dimensions:

Overall Size: 670 x 1900
 Actual Frame Size: 670 x 1870

Viewed Outside

Frame No: 4	Qty: 1	EDGE Medium Int Casement	Black	Location: DOWN LEFT
		FOILED/WHT	Sash Finish	/

REHAU 70S (EDGE)



Frame Specification:

Win Handle: Case Locking Handle Gold (R)
 Win Hinge: SH Egress/Easy Cln / TH Std
 Win Lock: Shoot Bolt Mech.
 Outer: Edge Medium 5 CH Outer Black/White (LF)
 Cill: 150mm STD Cill @ 770mm
 Beading: 28mm Ovlo bead White
 Drainage: Concealed
 Reinforcing: @15Standard Reinforcing

Additional Frame Details:

Glazing:

28mm 4/20/4 Clear Softcoat 1.2 CP 576 x 732
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge
 28mm 4/20/4 Clear Softcoat 1.2 CP 478 x 906
 V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge

Dimensions:

Overall Size: 670 x 1900
 Actual Frame Size: 670 x 1870

Viewed Outside

Frame No: 5	Qty: 1	EDGE Medium Int Casement	Black	Location: DOWN LEFT
		FOILED/WHT	Sash Finish	/

POLYFRAME PRODUCTS LIMITED
 UNIT 4 ATLAS WORKS, NORWICH ROAD
 LENWADE
 NORWICH, NR9 5SR

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH
ROAD
LENWADE
NORWICH, NR9 5SR

01603 879581
01603 308161

Quotation

To:- Armour Home
Improvements Ltd
38 Crown Street
Ayr
KA8 8AG
Tel: 01292435866


Quotation Number: **NQ081733**

Customer Ref : **Verraed**

Quotation Date: **30/07/2026**

Cust Code AH101

REHAU 70S (EDGE)



Frame Specification:

Win Handle: Case Locking Handle Gold (R)
Win Hinge: SH Egress/Easy Cln / TH Std
Win Lock: Shoot Bolt Mech.
Outer: Edge Medium 5 CH Outer Black/White (LF)
Cill: 150mm STD Cill @ 770mm
Beading: 28mm Ovlo bead White
Drainage: Concealed
Reinforcing: @15Standard Reinforcing

Additional Frame Details:

Glazing:

28mm 4/20/4 Clear Softcoat 1.2 CP 576 x 732
V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge
28mm 4/20/4 Clear Softcoat 1.2 CP 478 x 906
V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge


Dimensions:

Overall Size: 670 x 1900
Actual Frame Size: 670 x 1870

Viewed Outside

Frame No: 6	Qty: 1	EDGE Medium Int Casement	Black	Location: DOWN RIGHT
		FOILED/WHT	Sash Finish	/

REHAU 70S (EDGE)



Frame Specification:

Win Handle: Case Locking Handle Gold (R)
Win Hinge: SH Egress/Easy Cln / TH Std
Win Lock: Shoot Bolt Mech.
Outer: Edge Medium 5 CH Outer Black/White (LF)
Cill: 150mm STD Cill @ 770mm
Beading: 28mm Ovlo bead White
Drainage: Concealed
Reinforcing: @15Standard Reinforcing

Additional Frame Details:

Glazing:

28mm 4/20/4 Clear Softcoat 1.2 CP 576 x 732
V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge
28mm 4/20/4 Clear Softcoat 1.2 CP 478 x 906
V Warm Edge Black 18mm Geo Black/White -Argon Gas - Factory Glazed No SHAPE SURCHARGE 20kg Energy Surcharge

Dimensions:

Overall Size: 670 x 1900
Actual Frame Size: 670 x 1870

Viewed Outside

Frame No: 7	Qty: 1	EDGE Medium Int Casement	Black	Location: DOWN RIGHT
		FOILED/WHT	Sash Finish	/

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH ROAD
LENWADE
NORWICH, NR9 5SR

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH
ROAD
LENWADE
NORWICH, NR9 5SR

01603 879581
01603 308161

Quotation

To:- Armour Home
Improvements Ltd
38 Crown Street
Ayr
KA8 8AG
Tel: 01292435866

Quotation Number: **NQ081733**

Customer Ref : **Verraed**

Quotation Date: **30/07/2026**

Cust Code AHI01

Extras

Description	Qty	Length (mm)
Supplier surcharges re: Middle East	1	

Terms and Conditions

Please check all details carefully before ordering
All goods sold are subject to our terms and conditions
Laminated Arches are ""NOT" under Warranty from Bubbling or Tearing
Special Note : "Part M Threshold on Resi and French doors" are not
guraranteed against water ingress.

Customer's Signature : _____

POLYFRAME PRODUCTS LIMITED
UNIT 4 ATLAS WORKS, NORWICH ROAD
LENWADE
NORWICH, NR9 5SR